

Solo-Jec[®] Feline 3

Feline Rhinotracheitis-Calici-Panleukopenia Vaccine Modified Live Virus

Description

Solo-Jec[®] Feline 3 is for the vaccination of healthy cats 8 weeks and older against feline rhinotracheitis, calicivirus, and panleukopenia.

Features

Helps protect against:

Feline Rhinotracheitis - an upper respiratory infection spread through the air and through direct contact with other infected cats.

Calicivirus - a highly contagious infection that causes upper respiratory disease.

Panleukopenia - a highly contagious virus that can cause severe, even fatal, intestinal disease.

Benefits

- Convenient, ready-to-use package
- Helps protect from multiple diseases
- Safe for cats 8 weeks and older

Advantages

Helps protect against three highly contagious feline diseases in a 1 mL dose.

Dosage & Administration

The dosage is 1 mL injected subcutaneously using aseptic technique. Open syringe by twisting or tapping the cap against a hard surface to break the heat weld. Prepare the vaccine by injecting the diluent into the vial containing the desiccated vaccine cake. Shake well. Withdraw entire contents into the syringe. Thoroughly prepare injection site with antiseptic. Lift the loose skin behind the neck or behind the front leg and insert needle. Inject entire contents of syringe. Do not inject directly into blood vessel.

Administer a second dose 3 to 4 weeks later. The need for annual booster vaccination has not been established for this product. For advice on revaccination frequency, contact your veterinarian or the manufacturer.

Precautions

Do not vaccinate pregnant animals. Only vaccinate healthy animals. Inactivate unused contents before disposal. Although rare, severe allergic reactions (anaphylactoid) may occur that require immediate veterinary care. In case of anaphylactoid reaction, administer epinephrine.

Uses

Solo-Jec[®] Feline 3 is for subcutaneous vaccination of healthy cats 8 weeks of age or older, against feline rhinotracheitis, calicivirus, and panleukopenia.

Product Information

Name	Code	Size
Solo-Jec [®] Feline 3	108904	25x1 dose display

Highlights

- Everything you need for vaccination is in the bag
- Safe for cats 8 weeks of age and older



Feline Rhinotracheitis-Calici-Panleukopenia Vaccine

Modified Live Virus

This package contains one (1 dose) vial of dry vaccine, one (1 mL) vial of vaccine diluent, and one disposable syringe.

For use in cats only

Boehringer Ingelheim
Animal Health USA Inc.
St. Joseph, MO 64506
Phone: 1 (888) 637-4251
VLN/PCN 124/16D1.21

Indications: This product has been shown to be effective for the vaccination of healthy cats 8 weeks of age or older against feline rhinotracheitis (FVRV), calici (FCV) and panleukopenia (FPV) viruses. The duration of immunity has not been determined. For more information regarding efficacy and safety data go to productdata.aphis.usda.gov.

Precautions: Do not vaccinate pregnant queens. Store out of direct sunlight at 35-46°F (2-8°C). Do not freeze. Do not mix with other products, except as specified on this label.

See reverse side for instructions and additional precautions.

Preservatives: Neomycin and polymyxin B.

SOLO-JEC® FELINE 3

Directions and dosage: Open syringe by twisting or tapping the cap against a hard surface to break the heat weld. Aseptically rehydrate the vaccine cake with 1 mL of sterile diluent supplied. Shake well. Withdraw entire contents into the syringe. Administer one 1 mL dose subcutaneously using aseptic technique. Inject entire contents of syringe. Do not inject directly into blood vessel. *Important note: Before injecting vaccine, pull back slightly on syringe plunger. If blood enters the syringe freely, choose another injection site.* Administer a second dose 3 to 4 weeks later. The presence of maternal antibody is known to interfere with the development of active immunity in cats and additional boosters will be required in most young animals. Historically, annual revaccination with this product has been recommended. The need for annual booster vaccination has not been established for this product. For advice on revaccination frequency, contact your veterinarian or the manufacturer.

Precautions: In case of anaphylactoid reaction, administer epinephrine. In case of human exposure, contact a physician. Inactivate unused contents before disposal.

Solo-Jec® is a registered trademark of Boehringer Ingelheim Animal Health USA Inc.



153012-00

Ser:
Exp.:



Boehringer Ingelheim Animal Health USA Inc.
3239 Satellite Blvd NW | Duluth, GA 30096
Information 800-325-9167 | Sales Service 800-325-9167 | Fax 816-326-2717

SOLO-JEC® is a registered trademark of Boehringer Ingelheim Animal Health USA Inc.
© 2024 Boehringer Ingelheim Animal Health USA Inc., Duluth, GA. All rights reserved.
US-PET-0597-2024